

Index**A**

Adolescence

- brain changes, 155
- sexual orientation
 - change to adulthood, 233–234
 - yearly change in, 231–233
- twin study, zero genetic percentage, 197

Aggression

- counselling effective, 23
- drug tests. imitation of genetic effects, 23
- links to known gene, 23

American Psychiatric Association, 244

- homosexuality repudiated as disorder, 241–243

American Psychological Association, 6, 244

- intimidation tactics, 244–245
- therapy advised against, 243–244

Anglican Church and SSA, 7

- Epicopalian bishop qualifications, 56

Archbishop Tutu, Desmond, SSA attitude, 7

Asexuality

- showing sexual orientation not dependent on gonads, 89

B

Barnhouse, Tiffany

- condemnation of ignoring valid change evidence, 255
- condemnation of SSA fixity ideas for adolescence, 235

Bem, Daryl

- childhood gender nonconformity a much stronger factor for SSA than genetics, 220–221
- Exotic makes Erotic, theory, 77–78

Bisexuality

- change, 226–227
 - adolescence to adulthood, 233–234
 - adolescence, yearly change in, 231–233
 - biblical example, 237
 - diagrams, 229–231
 - reasons for seeking, 251–258
 - spontaneous, 235
 - therapy, 237–240, 245–246
- existence of, supported, 48
- married, percentage, 48

Bowlby, John

- affection development in orphans, 66

Brain

- adolescence, changes in, 155
- complexity of, 38
- development of in first year
 - from 25 % (birth) to 75 %, 147
 - millions of connections a second, 147
- diagram, 151
- DNA cannot specify details, 148
- gender differences arise under environmental influence, 150
- gender, relative lack at birth, 62
- heterosexual/homosexual differences?, 150–154
 - smell reaction, 153–154
 - unreliability of anatomical, 152, 153
- juggling, effects on microstructure, 155–156
- male-type organisation, no evidence for, 107, 154
- microstructure change
 - environmental causes, 156
 - sexual abuse cause, 157
- plasticity of, 155–158, 158–159
- post-natal stimuli vastly predominant for development, 147
- puberty, effect on anatomy, 150
- rat brain
 - maternal grooming, strong effects on, 148–149
 - post-natal environment, strong effects on, 148
 - pre-natal, no difference, 148
- regions increase/decrease depending on use, 155–156
- replacement, biochemically in a few decades, 148
- soul, room for, 38
- taxi-drivers', navigation effects on, 156
- training = instinct imitation, 159

Brothers. *See* Siblings

Byne, William

- hetero/homosexual brain differences
 - never independent of learning, 146–147
 - male-type brain organisation very unlikely to exist, 154

C

Cell

- interaction with other cell types, biochemically, 37
- reactions per second (one billion), 20

Chang, Jung

- Chinese foot-binding, as cultural erotic example, 78

- Childhood gender non-conformity
 - genetic origin, extent of, 83
 - homosexual fantasy correlation, 136
 - predictor of homosexuality, 83
 - path analysis - diagrams, 212–213
 - rebellion against gender norms, 83
- Children
 - shared environment, different reactions, in gender ID development, 72
- Chromosomes, structure, extreme DNA packing, 16–18, 18
- Clergy, 7
 - AIDS in, 55–56
 - homosexuality in, 55–56
- Craving for Love (book on SSA psychology), 13

D

- Delinquency
 - linked to maternal separation, 65
- DNA. *See also* Genome (all genes in an organism)
 - Brain very little specified by, 148
 - chromosomes, folding into, 16–18
 - diagrams, 17
 - genes absent on stretches, 18
 - infinity in, (symbol), 18
 - instability, biochemical, 15
 - length = lifetime (symbol), 16
 - rungs, chemical description, 18
 - synthetic, 17–18
- Doidge, Norman
 - brain plasticity, 157

E

- Epigenetics (environmentally influenced genetics)
 - fetal development errors, 32–31
 - histones, 27, 28
 - mice (histones), 27
- Ex-gays
 - AA parallels, 247–248
 - denial of free speech to, 236
 - hostility towards, 236
 - invisibility, reasons for, 236
 - support groups, 239, 246–247, 255–258

F

- Frederick II of Germany
 - orphans deprived of social contact, lethality of, 64–65

G

- Gender, 71
 - birth
 - differences, 146
 - five months post birth, 68
 - large overlap, 146
 - minor extent of, 66, 145–146
 - male genes expression at, 146
 - brain differences mostly post natal, 143–150, 145
 - children, pre-school fluidity of beliefs about, 69–70
 - competition/cooperation as gender schema, 73
 - first attraction age, 74
 - identification with gender of a parent, 70–71
 - boys, 71
 - girls, 71
 - organisational-activation (pre-natal origins only) theory superseded, 143–150
 - parental treatment differences, 67–70
 - peer groups develop gender, 72–74
 - sex play prevalence, 74
 - siblings, effect on development, 72
 - social treatment of gender depending on false assumptions, 67
 - toy preference, 68, 69
 - monkey - same as human, 68
- Gender identity disorder, 9
- Genes. *See also* Genome, DNA
 - behaviour
 - chemical analysis of a book for text understanding, analagous, 38
 - dictated by (opinion of sociobiologists), 20–21
 - dictated by single gene?, 21, 28
 - expedient lie?, 35
 - generational change slow, 30
 - links
 - difficult to replicate, 22–23
 - indirect, 29
 - many genes linked, 25, 28, 29
 - many genes linked; fruitflies, 29
 - many genes linked; IQ, 29
 - many genes linked; mice, 26
 - sandhopper, links established, 25
 - mice gene expression much affected by handling, 27

- epigenetic effects. *See* Epigenetics (environmentally influenced genetics)
- expression
 in different organs, 19–20
 multiple other gene products required, 21
- expression/repression of, factors controlling, 19–20
- gene expression more variable with age, 204
- gene linkage studies, 164–169
 alcoholism, 168
 homosexuality, 168–170
 schizophrenia, 166–167
 unreliability of, 166
- genetic code, 18
- genome scanning
 homosexuality, 170
 IQ, 168
 schizophrenia, 167
- homosexuality - *see* Homosexuality, genes for, 21
- learning from environment, independence from genes, 37
- minimum number for viable cell, 17–18
- multiple reactions between, 21
- muscle “springs”, 18
- number, human, 17
- size, 17
- transcending them, 37, 38–39
- variability, too few to account for varieties of homosexuality, 125
- world-wide human similarity, 115
- Genetic code, 18
- Genome (all genes in an organism)
 bacteria, 17
 bacteria (178 species), 17–18
 human, 17
 Neanderthal, 17–18
- GID (Gender identity disorder), 9
- H**
- Hamer, Dean
 birth test for homosexuality impossible, 171
 first attraction age, SSA/OSA, 33–35
 gene for homosexuality?, 21, 164
- Height
 genetic proportion
 comparison with SSA proportion, 46–47
- Heterosexuality
 addiction, 80
- adolescence
 most will not change, 235
 yearly change in?, 231–233
- affection development
 parental contact essential, 64–66
- change of attractions to adulthood, 233–234
- change of attractions with time
 diagrams, 229–231
- cultural variation, 116–117
- erotic arousal, age of first, 75
- ex-gay, numerical estimates in population, 227, 227–229
- falling in love, 75–77
 cultural conditioning of, 78–79
 exotic aspects, need for, 77–78
 genetic component zero (opinion of anthropologists), 77
 gonads not essential, 76
 kibbutzim (Israel), no intramarriage, 77
 non-Western cultures, 77
 random factors, importance of, 79–80
 specificity, 77
- first attraction, age, 74
- genetic percentage calculation, 34
- goats and sheep; species erotic preference fixed by upbringing, 64
- learnt, 81
- monkeys
 maternal effects on, 62
- random factors in development of, 79
- rats
 maternal effects in development of, 62, 63
- zoo animals, disturbance of reproduction through human contacts, 63
- Histones (proteins controlling gene expression)
 gene expression control, 27
 maternal handling effect, 27
 diagram, 27, 28
- Homophobia
 genetic content, 203
- Homosexuality, 83
 adolescence
 stability
 25x less than heterosexuality, 234
 most adolescents change, 235
 stability low, 87
 yearly change usual, 231–233
- adoption a factor in origin, 82
- affection sought initially rather than sex, 86

Homosexuality continued

- aggression lack, sexually attractive to women, 31
- biological families, loose ties to, 31
- birth brain gender a weak factor in origin, 143–154
- cancer risk in, 254
- causal factors
 - indirect, usual, 191
 - individualistic, environment-related, 189–191
 - individualistic, genetic-related, 188–189, 219–220
 - significant of social, via path analysis, 211–222
 - supplied by SSA respondents (diagram), 187
- change possibility, 224–231
 - anecdotes, 224–225
 - biblical example, 237
 - diagrams (occurrence in population), 229–231
 - drug mediated, 240
 - ex-gay groups, 246
 - parable of the bee, 272–273
 - process details, 255–256
 - reaons for seeking, 251–254
 - reasons for opposition to, 248–249, 249–250
 - spontaneous, 235–236
 - stroke-mediated, 241
 - therapy for, 237–240, 245–246
- change to adulthood *see* Adolescence, 233–234
- childhood gender non-conformity a factor in, 83, 216
 - genetics much less important than, 220–221
- compulsivity in, 252–253
- culture
 - SSA absence in some cultures shows genetic influence minor, 122–123
 - SSA change within one generation shows genetics minor, 123–125
 - SSA diverse expression shows genetics minor, 11–22, 117–126, 122
- defensive detachment a factor in, 86
- disappearance through generations if genetic, 30
- divorce a factor in origin, 71
- epigenetic cause unlikely, 25
- exclusive, in population, percentage, 45
 - diagrams, 44–46
- father emotional distance a factor in origin, 82, 83
- fetal development error?, 31
 - diagram, 32
- first attraction age, 33
- gene linkage probably absent, 170
- genes for
 - multiple genes for? difficulties, 21
 - single gene for? difficulties, 21
- genetic contribution
 - similar to pregnancy of 15y old?, 90
- genetic fraction
 - calculations, 34, 193–194
 - implies change possible in, 202–203
 - probably 10%, 202
- Greek model of, 117–118
- immune attack not a factor in, 136–139
- increase in recent times, 48, 48–49
- innateness, is a poor example, 183
- instability, compared with heterosexuality, 229–231
- instinctual?, 99
- learning process involved, 87
- left-handedness comparison, 33, 182
- married percentage, 30
- masculinity felt inferior, 87
- maternal diminished care a factor (Taiwan), 84
- maternal immune hypothesis, 136–139
- maternal stress a weak factor in, 135–136
- Melanesian model of, 118–119
- multiple genes for
 - unlikelihood of, 30
- mutation? unlikelihood, 22–24, 24
 - diagram, 24
- non-shared environmental factor, calculations, 195–197
- objectification of others enhanced in, 87–88, 88–87
- parental over-protection a factor (Taiwan), 84
- parents a minor direct factor, 183
- peer group poor relationships a factor, 82–83, 83–84
- percentage in population, 57
 - census results, 46
 - scatter suggests minimal genetic influence (diagram), 46
- prenatal hormones
 - effects, 129–131
 - finger lengths, 131–132
- promiscuity in, 253
- psychological trait? (diagram), 35
- puberty, genetic fraction much higher, 197
- random events, importance of, 186
- relationship length, 251
- sex hormones, adult, little effect, 133–134
- sexual abuse a factor in origin, 85–86

Homosexuality continued

- sexual difficulty prevalence increased, 251
- shared (social) factors apparently minor in origin, 179
- siblings a factor in origin, 82
- single gene for
 - unlikelihood, 21
- SSA sons of SSA fathers, prevalence, 203
- suicidality in, 257
- therapy for, 237–240
 - clients atypical, 248
- unique path to SSA does not exist, 88
- urbanisation, effect of, 53–55
 - argues for low genetic percentage, 53–54
 - Denmark an example, 55
- Western model of, 118–120
 - changes too swift to be genetic, 121
 - historical uniqueness, 121

I

- Instincts, 96–102
 - addiction similarity hence possible change, 101
 - fear of height, change possible, 96, 97
 - irises and light, change possible, 100
 - maternal, change possible, 98, 99
 - paternal to maternal, change, 98
 - training possible, 97
- Intersexes, 103–112
 - 5alpha-reductase deficiency, cultural effects, 111
 - biology not determinative; upbringing nondeterminative, 108
 - congenital adrenal hyperplasia, 108–109
 - reassignment wanted by 10%, 109
 - gonad lack, but normal sexual orientation, 109
 - homosexuality slightly increased in, 129–131
 - Klinefelter's syndrome
 - homosexuality not elevated, 104
 - puberty, sudden masculinisation, cultural effects, 110–112
 - reassignment, 10% choice, 111
 - surgical intervention, later 10% disapproval, 112
 - Turner's Syndrome, 104
 - sexual function normal, 109

upbringing influence predominates in 90% of cases, 111

K

- Kinsey, Alfred
 - change
 - his therapy for, 238
 - spontaneous change examples, 227
 - first attraction, age from sex survey, 74
 - his ideological agenda, 42
 - his sexual orientation, 42–43
 - sex survey, 46
 - pedophilia investigation, 43
 - percentage homosexuality, 41–42
 - SSA exaggeration a self-fulfilling prophecy, 49
 - SSA percentage decline with age, 50–53
- KISS-1 peptide and puberty, 33

L

- Left handedness
 - homosexuality comparison, 33, 182
- Lesbianism
 - change possibility
 - process details, 255–256
 - reasons for seeking, 251–258
 - therapy, 237–240, 245–246
 - change towards, in mid life, 226–227
 - childhood gender non-conformity a factor in, 83
 - emotion, primacy of rather than physicality, 86
 - exclusive, percentage in population, 45
 - diagram, 45
 - gene linkage absent, 171
 - masculinity enhanced compared with heterosexual women, 87–88
 - maternal stress a factor in origin, 136
 - modelling femininity, lack of, a factor in origin, 84
 - mother emotional distance a factor in, 83
 - promiscuity, 253
 - relationship length, 251
 - sexual abuse a factor in origin, 85–86
 - suicidality in, 257
 - therapy clients atypical, 248
- Libido
 - sex hormones, effects, 134–135

M

- Marriage, 78
 - institutionalisation, (orphans) effects on, later, 66
- Masculinity
 - cross-cultural survey in SSA, 87–88
- Moberly, Elizabeth
 - defensive detachment a factor in origin, 86
 - therapy historically ignored same-sex parent clash for origin, 239
- Money, John
 - blank slate theory for gender ID development, 105
 - boy raised as girl (reversion), 105–107
 - most however stay in sex of rearing, 107
- Monkeys
 - sign language, evidence of gene independence, 38–37

N

- National Association for Research and Therapy of Homosexuality (NARTH), 244
- Nature, 15
 - random factors have disproportionate impact, 185
- Nazis
 - orphan death through isolation, 65
- Nurture, 15
 - random factors have disproportionate impact, 185

O

- OSA
 - Opposite-sex attraction, 16

P

- Pedophilia, mislabelling in church scandals, 7
- Plomin, Robert, 184
 - environment factors cause twin differences, 184
 - genes and IQ, 22, 168
 - mice breeding indicates multiple genes importance, 26
 - therapy important even if trait mostly genetic, 22
- Pre-natal influences
 - hormones, 128–132
 - family effects stronger, for gender development, 132–133
 - immune attack not a factor in SSA development, 136–139
 - maternal stress a weak factor in SSA development, 135–136
- Priests, SSA involvement, 7

- Proteins. *See also* Histones (proteins controlling gene expression)
 - errors in and recycling, 19
 - number of types in cell, 20
 - specified by genes, 19
- Puberty, 75
 - genetic programming, 34, 197
 - heterosexual and homosexual, same age, 87
 - KISS-1 peptide, 33
 - SSA has much smaller genetic fraction, 34

R

- Randomness
 - biological, 195
 - life-events, 16, 79
 - psychological differing (random) reactions, 184, 186
 - unusual events, high impact of, 185
- RNA
 - genes in, 18
- Roman Catholic Church, 7
 - homosexuality, attitude to, 56
- Rutter, Sir Michael
 - genetic determinism nonexistent, 15
 - multifactor origin of psychological traits, 187

S

- Sex hormones. *See also* Pre-natal influences
 - sexual desire, effects, 134
 - mental attitude predominance, 135
 - surges mostly post-natal, 144, 150
- Sexual abuse
 - predictor of homosexuality, 85
- Sexual orientation
 - adolescence
 - yearly change in, 231–233
 - change
 - mostly towards heterosexuality, 229
 - change possibility, 157, 224–248
 - therapy, 237–240
 - concept valid in view of known instability?, 235
 - independence of genital development, 90
 - rats
 - maternal grooming, strong effect on, 149
- Siblings

- influence on gender development, 72
- Sisters. *See also* Siblings
 - masculinity development in boys, 72
- Skyenner, Robin
 - attraction basis for falling in love shown by social interaction experiments, 76
- SSA
 - same-sex attraction, 16

T

- Therapy for change, 6
- Turing, Alan
 - sex hormone administration, no effect on SSA, 133
- Tutu, Desmond, Archbishop, attitude to SSA, 7
- Twin studies for calculating genetic percentage in SSA, 174–207
 - identical/fraternal twins, 192–206
 - equal environments?, 198
 - genetic fraction
 - diagrams, 193–194
 - errors large, 194
 - increases with age, 204
 - only relative, 203–204
 - overestimation inherent, 201–202
 - genetics/environment interaction, 199
 - marriage of similar individuals, effect on, 200
 - non-shared factors (figures), 195–197
 - normal distribution assumption violated, 199
 - placenta sharing not allowed for, 201
 - rules for, 197–198
 - smoking genetic fraction depends on legislation at the time, 203
 - twin environment special?, 200
 - volunteer errors, 198
 - whole population differences from twins, effects of, 200
 - identical twins
 - ‘Born Gay’ book argument, 180
 - classroom, differing reactions, 186
 - conclusions of twin studies will not change for major point, 180
 - concordance
 - comparisons, 181–182
 - diagram, 177
 - homosexuality not dictated, 176
 - poor gene penetrance not relevant, 182
 - family environment minimal factor, 183–184
 - non-shared environmental factors predominate, 178

- non-shared responses to same environment, 71
- non-shared response to love styles, 77
- shared factors minor in homosexuality, 179
- sum up all factors known/unknown, 179
- volunteer error distorts early studies, 183
- Nazi connections, 175
- twin registers, 176

U

- United Nations, SSA as a human right, 8

V

- Victorian ankle fetish, 157
- Voeller, Bruce
 - one in ten, homosexuality percentage, 42

W

- Women
 - sexual fluidity, sex surveys unsuitable?, 46